# SPRAY CONNECTION

Selling and Servicing Quality Spray Equipment since 1976 for the Drywall, Plaster, Fireproofing, Stucco, Swimming Pool, Mobile Home & E.I.F.S. Industry

#### NEW EQUIPMENT WITH ONE DOWN PAYMENT

WITH OUR EXCLUSIVE LEASE PURCHASE PLAN



#### TRUCK MOUNTED MACHINES

Designed to your specifications or ours. Gas, Diesel, or PTO driven. Tanks from 300 to 1,000 gallon capacity. We also mount in box type trucks for spraying in the northern climates.

1-800-447-8678

## SPRAY CONNECTION, INC. Model SC 150 HST

This machine has a single 150 gallon stainless steel mixing tank, one hydraulic material piston pump, both with variable speed control, 18 H.P. engine & 27 C.F.M. compressor. Includes one 150 foot hose set & texture gun. This machine is ideal for the contractor who is spraying one type of drywall texture.



#### **SPECIFICATIONS:**

Capacity.	150 gal. Stair	iless Steel
Pump	(1) Hydraulic Pis	ton Pump
Engine	18 H.	P. Briggs
Compres	sor	27 C.F.M.
Approx.	Weight	1700 lbs.
Size	Weight	H x 96" L


#### **OPTIONS:**

- 25 H.P. Kohler
- Electric Brakes
- 2" or 3" Pump
- Hose sets can be customized to your needs.

#### 1-800-447-8678

## SPRAY CONNECTION, INC. Model SC 300 HST

This is our most popular model for the drywall contractor. It has a 300-gallon stainless steel split mixing tank (200 x 100), two hydraulic material piston pumps both with variable speed control, two sets of hoses, and two texture guns. Standard are a 25 H.P. Engine and 27 C.F.M. Compressor.



#### **SPECIFICATIONS:**

.300-gal. Split-tank
raulic Piston Pumps
25 H.P. Kohler
27 C.F.M.
2400 lbs.
x 68" H x 10'6" L
and Adjustable Jack
oad Range 700 x 15

#### **OPTIONS:**

- 30 H.P.
- 40 C.F.M. Compressor
- Electric Brakes
- Hose sets can be customized to your needs.

#### 1-800-447-8678

## SPRAY CONNECTION, INC. Model SC 150 HSE

This model was designed for the manufactured housing industry. It has a 10 H.P., three-phase electric motor and no compressor as most plants have an adequate air supply. 150-gallon stainless steel mixing tank and hydraulic piston pump both with variable speed control are standard.



#### **SPECIFICATIONS:**

Capacity150 or 300 gal. Stainless Steel
Pump(1) Hydraulic Piston Pump
Engine
<b>Approx. Weight</b> ( <b>150-gal</b> )1200 lbs
<b>Approx. Weight (300-gal)</b> 1400 lbs
<b>Size</b> ( <b>150-gal</b> )64" W x 58" H x 48" L
<b>Size</b> ( <b>300-gal</b> )64" W x 68" H x 60" L

#### **OPTIONS:**

- Single phase
- 220/440 3 phase
- 300-gal machine can be designed to support 2 operations simultaniously
- 15 H.P. Electric motor

#### 1-800-447-8678

## We Have All The Right Parts!



We also carry Used and Reconditioned Equipment, Complete Parts, and have a Full Service Facility.

SPRAY CONNECTION INC.

113 W. WOODWARD AVE. EUSTIS, FL 32726

TO:

1-800-447-8678

**VISIT OUR WEB-SITE:** 

http://www.sprayconnection.com